Updated: Dec 2025

KRAFT TAPE PRODUCTS

Driving green packaging forward:
43 years of professional manufacturing
in gummed kraft paper tape.



Krafix™

Company Profile

For **43 years**, we have specialized as a premier factory dedicated to **eco-friendly kraft paper tape**.

Headquartered in **Modinagar,** our operations are centralized in a facility designed for efficiency and quality.

We utilize state-of-the-art, vertically integrated production systems, covering everything from **pressure-sensitive adhesive synthesis to multi-functional coating, high-precision slitting, custom printing, and final packaging**. This comprehensive setup ensures agility in meeting diverse demands across **domestic and international** markets.

Our strength lies in technical excellence and a rigorous quality management framework. Every phase of production is subjected to stringent control to guarantee the reliability, stability, and superior quality of our **eco-friendly kraft paper tapes**.

We don't just manufacture adhesive products—we engineer sustainable packaging solutions. Our mission goes beyond production; we are committed to contributing to the planet's green transformation.



Water Activated Kraft Paper Tape

Built Green.

- **Eco-Friendly Core:** Features a base material derived from 100% pure wood pulp.
- **Non-Polluting Adhesion:** Utilizes an environmentally safe adhesive that prevents contamination.
- **Seamless Integration:** Designed as a direct, high-performance substitute for traditional pressure-sensitive tapes.
- **End-to-End Sustainability:** The product is fully degradable and recyclable with standard packaging, simplifying disposal for your customers.



Krafix™

Technical Data Sheet: Water Activated Gummed Paper Tape

Product Description

A high-quality, water-activated tape designed for professional packaging and joining.

- **High-Strength Substrate:** Constructed from specialty Kraft paper that provides excellent tensile strength and stability during application.
- **Aggressive Bond:** Features a water-activated, starch-based adhesive that forms a rapid and permanent bond to surfaces.
- **Eco-Friendly:** 100% biodegradable and recyclable, offering an environmentally responsible choice for packaging.
- **Simple Activation:** Requires only moistening with water for application.

Physical Properties

Color	Natural (Brown)
Adhesive	Starch Adhesive
Paper	56 GSM (Brown) / 70 GSM (White)
Adhesive	38 GSM
Longitudinal tensile resistance	7.4 KgF per 25mm

Storage and Handling

To ensure optimal performance and shelf life, please adhere to the following storage conditions:
Environment: Store in a clean, dry location, away from direct sunlight.
Temperature: Cool Storage Upto 40°C

Form of Delivery

Packing: in Bales
Roll Length: 244 meters | **Width:** 10mm , 12mm , 18mm ,24mm,36mm,48mm,72mm (Customizable)

Kraft Tape Products: Khasra No, 118, Shikhera Rd, near Modinagar Paper Mills Ltd, Industrial Area, Modinagar, Uttar Pradesh 201204 .
Phone: +91-9837094196,+91-9897672070 . Email : krafttaperproducts@gmail.com

Note: The technical information, data, and recommendations contained herein are based on tests and experience we believe to be reliable and are provided in good faith. However, this information does not constitute a guarantee or warranty, expressed or implied. It is the user's sole responsibility to determine the suitability and fitness of the product for their specific application and method of use.



Veneer Paper Tape (Water Activated)

Precision for Woodworking

- **Seamless Splicing:** Engineered for secure, clean joining of veneer sheets, minimizing gaps and ensuring a flawless appearance after pressing.
- **Optimal Adhesion:** Features instant, high-strength bonding designed to hold wood pieces firmly through the hot press process.
- **Residue-Free Finish:** Specially formulated to peel away cleanly post-application, eliminating the need for extensive sanding or cleanup.
- **Process Efficiency:** Designed for fast, accurate application, significantly speeding up the wood repair and splicing workflow.





Krafix™

Technical Data Sheet: Veneer Jointing Tape

Product Description

A high-quality, water-activated tape designed for professional veneer splicing and joining.

- **High-Strength Substrate:** Constructed from specialty Kraft paper that provides excellent tensile strength and stability during application.
- **Aggressive Bond:** Features a water-activated, starch-based adhesive that forms a rapid and permanent bond to wood veneer surfaces.
- **Eco-Friendly:** 100% biodegradable and recyclable, offering an environmentally responsible choice for woodworking.
- **Simple Activation:** Requires only moistening with water for application, compatible with standard veneer tape dispensers.

Physical Properties

Color	Natural (Brown)
Adhesive	Starch Adhesive
Longitudinal tensile resistance	3.7 KgF

Storage and Handling

To ensure optimal performance and shelf life, please adhere to the following storage conditions:
Environment: Store in a clean, dry location, away from direct sunlight.
Temperature: Cool Storage Upto 40°C

Form of Delivery

Packing: in Bales
Roll Length: 244 meters
Width: 10mm , 12mm , 18mm
Quantity per Bale: (12mm -> 60Roll), (10mm -> 72Roll) , (18mm -> 40Roll)

Kraft Tape Products: Khasra No, 118, Shikhera Rd, near Modinagar Paper Mills Ltd, Industrial Area, Modinagar, Uttar Pradesh 201204 .
Phone: +91-9837094196,+91-9897672070 . Email : krafttaperproducts@gmail.com

Note: The technical information, data, and recommendations contained herein are based on tests and experience we believe to be reliable and are provided in good faith. However, this information does not constitute a guarantee or warranty, expressed or implied. It is the user's sole responsibility to determine the suitability and fitness of the product for their specific application and method of use.



Edge Tape (Water Activated)

Edge Sealing Tape: Reinforcement and Finish Perfection

- **Critical Edge Protection:** Provides a vital layer of defense for fragile edges of drywall or other boards, shielding them from everyday impact, wear, and abrasion.
- **Superior Structural Finish:** Designed to fill cracks and smooth unevenness, resulting in a cleaner, stronger seam that dramatically improves the overall aesthetic quality of the installation.
- **Durability Extension:** By preventing damage to the vulnerable edges, the tape effectively extends the service life and maintains the integrity of the material.
- **Custom Branding Opportunity:** Offers an excellent way to add corporate identity, allowing for custom printing to turn a functional material into a unique promotional tool.





Krafix™

Tape Specification (Customizable)

Products	Width (mm)	Length (m)
Core Veneer Gummed Paper Tapes - Perforated	12	244
	18	244
	24	244

Products	Width (mm)	Length (m)
Face/Dry Veneer Gummed Paper Tapes - Plain	10	244
	12	244
	18	244

Products	Width (mm)	Length (m)
Gummed Paper Tapes (Custom size available as per requirement) **White and Brown Color Available (Printing Optional)**	10	244
	12	244
	18	244
	24	244
	36	244
	48	244
	60	244
	72	244

Taxes: Prices are exclusive of GST (18%).

Delivery: Goods will be dispatched on a "Freight To Pay" basis.

Payment Terms: 100% Payment required in advance.

MOQ: 1 Carton

Printing Charges: 20% Extra



KRAFT TAPE PRODUCTS

Mobile : +91-9897672070 , +91-9837094196

Email : krafttapeproducts@gmail.com

Web: https://www.krafttapeproducts.com

Address: Khasra No, 118, Sikhera Rd, near Modinagar Paper Mills Ltd, Industrial Area, Modinagar, Uttar Pradesh 201204

